

2023

**Centre intégré de  
santé et de services  
sociaux de Laval**



# **Preparation guide for a surgery**

## **General information**



**4th edition**

**This guide will help you understand and get ready for your surgery.**

**Read it over with your family and bring this guide with you the day of your surgery.**

**A publication of**

Direction des services professionnels  
Centre intégré de santé et de services sociaux de Laval  
Preadmission clinic  
1755, boul. René-Laennec  
Laval (Québec) H7M 3L9  
Telephone: 450 975-5566  
Website: [www.lavalensante.com](http://www.lavalensante.com)

**Research and writing**

Manon Vinet, nurse clinician, AIC  
Preadmission Clinic

**Revision**

Judith Dubois, infirmière clinicienne, AIC  
Clinique de préadmission

**Secretariat**

Karine Beaulieu, administrative officer

**Language editing and page layout**

Éric Bertrand, Communication department

**Diffusion**

This document is available electronically at [www.lavalensante.com](http://www.lavalensante.com)

© Centre intégré de santé et de services sociaux (CISSS) de Laval, 2023  
This document may be reproduced and communicated to the public by any means for educational or non-commercial purposes, provided that the source is acknowledged. Any other use requires prior authorization from the CISSS de Laval. This authorization can be obtained by sending a request to [droitsdauteur.ciSSLav@ssss.gouv.qc.ca](mailto:droitsdauteur.ciSSLav@ssss.gouv.qc.ca).

Legal deposit - Bibliothèque et Archives nationales du Québec, 2023  
ISBN 978-2-550-94009-8 (print, 4<sup>th</sup> edition, 2023)  
ISBN 978-2-550-83313-0 (print, 1<sup>st</sup> edition, 2019)  
ISBN 978-2-550-94010-4 (PDF, 4<sup>th</sup> edition, 2023)  
ISBN 978-2-550-83314-7 (PDF, 1<sup>st</sup> edition, 2019)

**Translation and adaptation of**

Guide de préparation à une chirurgie : information générale, 2023

## TABLE OF CONTENTS

Admission date and time .....	4
When to stop or continue your medication.....	5
Before your visit to the Preadmission Clinic .....	6
Consent to surgery and anesthesia .....	6
Tobacco .....	7
Alcohol.....	7
Discharge planning.....	7
Preoperative diet .....	8
THE NIGHT BEFORE YOUR SURGERY.....	9
The day of your surgery .....	10
Hygiene before your surgery.....	11
intestinal PREPARATION .....	12
Surgery for children .....	13
What to bring to the hospital.....	14
When you arrive at the surgery unit .....	15
The day surgery unit or the care unit .....	15
Operating room .....	16
In the recovery room .....	17
Return to the day surgery unit or hospital unit .....	17
Controlling your pain .....	18
Breathing exercises.....	19
Circulation exercises .....	21
Getting up.....	22
Your discharge from the unit .....	23
Once you get back home - Instructions .....	24
Nutrition and hydration.....	25
Activities .....	26
Complications .....	27
Resources.....	28
Bibliography.....	29
Notes .....	30

## ADMISSION DATE AND TIME

You will receive a call from the hospital's pre-admission department. The secretary will inform you of the date of your surgery. You will be informed of the time of your arrival at the hospital by phone **24 to 48 hours before** the surgery.



Date of your surgery: \_\_\_\_\_

Arrival hour: \_\_\_\_\_

Location: \_\_\_\_\_

### SYMPTOMS TO MONITOR

If you have any of these symptoms or conditions one week before the date of your surgery:

- You have a sore throat, a cold or the flu.
- You have a fever.<sup>81</sup>
- You are taking antibiotics.
- You have a contagious disease (e.g., chicken pox), or you have recently been exposed to someone with a contagious disease.
- You have a possible or unconfirmed pregnancy.
- Redness, inflammation, discharge, wound or any other problem at the operating site.



#### **Call immediately to inform the administrative officer at:**

Dental Surgery.....	450 975-5370
General Surgery .....	450 975-5409
Vascular Surgery .....	450 975-5598
Gynecology .....	450 975-5598
Ophthalmology .....	450 975-5370
ENT .....	450 975-5490
Orthopedics .....	450 975-5487
Plastic Surgery .....	450 975-5370
Urology .....	450 975-5394

## WHEN TO STOP OR CONTINUE YOUR MEDICATION

At your appointment with your surgeon or preadmission nurse, you will be informed whether you need to stop or continue your medication before your surgery.



- Aspirin<sup>®</sup>,  Asaphen<sup>®</sup>,  Rivasa<sup>®</sup>,  Entrophen<sup>®</sup>,  Novasen<sup>®</sup>,  Persantine<sup>®</sup>,  MSD AAS,  Aggrenox<sup>®</sup> (dipyridamole/ASA), etc.
  - Stop \_\_\_\_ days before your surgery.
  - Do not stop this medication.
- Plavix<sup>®</sup> (clopidogrel)
  - Stop \_\_\_\_ days before your surgery.
  - Do not stop this medication.
- Prasugrel<sup>MD</sup> (Effient),  Ticlid<sup>MD</sup> (Ticlopidine)  
 Ticagrelor<sup>MD</sup> (Brilinta)
  - Stop \_\_\_\_ days before your surgery.
  - Do not stop.
- **Anti-inflammatory drugs** (e.g., ibuprofen such as Advil<sup>®</sup>, Motrin<sup>®</sup> (including for children), Celebrex<sup>®</sup>, Maxidol<sup>®</sup>, Aleve<sup>®</sup>, Naprosyn<sup>®</sup>, etc.)  
Stop 3 days before your surgery.
- **Anti-inflammatory drugs:** meloxicam (Mobicox), piroxicam (Feldene)  
Stop 7 days before your surgery.
- **Anti-inflammatory drugs:** tenoxicam (Mobiflex)  
Stop 10 days before your surgery.
- **All natural products** (except for melatonin): glucosamine, omega 3, vitamin E, etc.  
Stop 7 days before your surgery.

You can keep taking drugs such as Tylenol<sup>®</sup>, Tylenol<sup>®</sup> Extra-Strength, acetaminophen and Tempra<sup>®</sup> until midnight the night before your surgery.

If you are taking Coumadin<sup>®</sup>, Sintrom<sup>®</sup>, Pradaxa<sup>®</sup>, Xarelto<sup>®</sup>, Eliquis<sup>®</sup>, Lixiana<sup>®</sup>:

A hospital pharmacist will call you approximately 1 to 3 weeks before your surgery and may ask you to have a blood sample taken.

When the pharmacy department has received your results, you will be called again about when to stop taking this medication.



**You must follow this instruction.**

## BEFORE YOUR VISIT TO THE PREADMISSION CLINIC

Your record will be transferred to the hospital's Preadmission Clinic. Someone will call you with the date and time of your Preadmission Clinic appointment.

Date and time of your appointment: \_\_\_\_\_

Location: \_\_\_\_\_


### During your Preadmission Clinic visit, you will:

Meet with a nurse, who will explain how to prepare for surgery and what to expect during your hospital stay.

Have an ECG (electrocardiogram) if the nurse determines that you need one.

Have blood taken, if required. You will be sent to the hospital's test centre.

The nurse will tell you if you need more tests or have to meet with other doctors or professionals.



## CONSENT TO SURGERY AND ANESTHESIA

At your preadmission meeting, the nurse will ask you to sign the consent to surgery and anesthesia.

This consent means that the surgeon clearly explained why you need this operation, what the procedure entails, the potential risks, and the desired results of the operation.



If you did not get the proper information, you must contact your surgeon. The preadmission clinic nurse can help you. You will need to sign the consent form the morning of your surgery.

\* **Children under 14 years of age**: the father, mother or legal guardian (written power of attorney required in their absence) may sign the consent.

**For further information about anesthesia, please read the guide on anesthesia and pain relief Information guide which the nurse will provide when attending your preadmission meeting.**

The anesthesiologist will discuss with you on the morning of the operation which anesthesia is best for you.

## TOBACCO

Quitting smoking or reducing the amount you smoke will decrease your risk of respiratory problems after your surgery, aid in the healing of your surgical wound, and help you better manage pain.

If you need help to quit smoking, don't hesitate to contact:

**If you need help to quit smoking, don't hesitate to contact:**

- Your CLSC at **450 978-8300, extension 3169** (for Laval residents).
- Your pharmacist or family doctor.
- The Quit Smoking Centre nearest you at **1-866-JARRETE (527-7383)**.



Website: <https://www.tobaccofreequebec.ca/iquitnow>

## ALCOHOL

Avoid drinking alcohol **7 days before your surgery**. Alcohol can interact with some medications and increase the risk of bleeding and complications.



**To get help to stop right now, contact the regional hotline (for Laval residents):**

Alcochoix+ Laval at 450 622-5110, ext. 64005.

Website: <https://www.quebec.ca/en/health/advice-and-prevention/alcohol-drugs-gambling/alcochoix-plus/>

## DISCHARGE PLANNING

Before your operation, it is important that you prepare in advance for your return home.



- Ask another adult to come pick you up at the hospital. You must organize a ride home in advance. This person must be available to pick you up once your discharge is signed.
- Prepare meals in advance for the days after your operation.
- Get help for errands, housework and appointments.
- If you live by yourself and your operation reduces your mobility, you need to think about having another adult stay with you during your recovery.

## PREOPERATIVE DIET

### Suggestions to boost your protein intake



Add this	To this
Skim milk powder or protein powder supplement (Nestlé Beneprotein®)	Cooked cereals, scrambled eggs, sauces, mashed potatoes, soups, cream sauces, milk, milkshakes, cream desserts, custards, etc.
Milk (2% or 3.25% MF)	Hot cereals, soups, casseroles, hot chocolate (instead of water)
Soy beverage	Smoothies, soups
Greek yogurt	Fresh or canned fruit, vegetables, potatoes, rice, pancakes, casseroles, stews, soups, vegetable or fruit dips
Hard-boiled eggs	Sandwiches, salads, vegetables, potatoes, sauces and soups
Peanut butter or nut butter	Cookies, milkshakes, sandwiches, crackers, muffins, fruit slices, toast, ice cream
Tofu	Milkshakes, soups, casseroles, stir-fries, salads
Canned dried peas or beans, legumes and lentils (if you can tolerate these)	Casseroles, soups, stews, salads, rice, pasta and dips
Seeds and nuts (if you can tolerate these)	Salads, cereal, ice cream, yogurt
Pieces of cooked beef, pork, poultry, seafood or fish	Salads, soups, scrambled eggs, quiches, baked potato, pasta



To complete your diet, you can also take a supplement such as Ensure or Boost.

## THE NIGHT BEFORE YOUR SURGERY

### The night before your surgery

You can eat normally.



### The day of your surgery

**For all users, starting from midnight the night before your surgery:**



- Do not eat solid food.
- Do not consume dairy products.
- Do not consume alcohol and do not smoke.
- For the consuming of clear liquids, refer to the tables on the following page.

## THE DAY OF YOUR SURGERY

### At home

The nurse will tell you if you need to follow the following beverage instructions:

- **You MUST remain fasting** (nothing to eat or drink from midnight the night before your surgery). Do not chew gum or eat candy.



You can brush your teeth but avoid swallowing the water.

OR

- **You MUST drink clear fluids** before the surgery.

**Allowed clear fluids include:**

- Water.
- Juice without pulp (no pulp is mandatory).
- Coffee or black tea (no milk).



Make sure that you **ONLY** drink these clear fluids and nothing else.

### When should I stop drinking clear fluids?

You must stop drinking these fluids the morning of your surgery. The exact time depends on when you need to arrive at the hospital that morning.

Someone will call you 24 to 48 hours before your surgery and will give you at what time you must arrive at the hospital.

I need to arrive at the hospital at...	I have to stop drinking clear fluids at...
Before 10 a.m.	6 a.m.
After 10 a.m.	8 a.m.
I do not have a specific time and have to wait at home to be called for my surgery.	11 a.m.



**You must follow these instructions to ensure your surgery is safe and to prevent serious complications.**

**If you have not followed these instructions, you must advise the nurse once you get to the hospital.**


## HYGIENE BEFORE YOUR SURGERY

- Dexidin disinfectant soap (4%):** The morning of the surgery, you must shower using the antimicrobial soap you purchased at the gift shop at the main entrance of Block C or Block D or at the pharmacy. You must use the soap from your chin to your toes and then rinse.



- Usual hygiene:** The morning of your surgery, perform your usual hygiene routine.

**Put on clean clothes after your shower.**



No makeup, no nail polish (fingers and toes), no fake nails, no fake eyelashes, no cream, deodorant or perfume/cologne, no jewelry or body piercings.

**Do not shave** the area to be operated on



**Medication**

Take these medications **ONLY**  
(with some water).

-----

-----

-----

-----

-----



**If you do not follow all these instructions  
your operation may be cancelled.**

## ❑ INTESTINAL PREPARATION

**Take this preparation only if the nurse has asked you to; She will give you more specific instructions**

Some surgeries require a Fleet enema<sup>®</sup>. This enema empties and cleans the rectum before the operation.

❑ Do 1 enema: At around 8:00 p.m. the evening before your surgery.

❑ Do 2 enemas (**anal surgery only**):

- 1<sup>st</sup>: At around 8:00 p.m. the evening before your surgery;
- 2<sup>nd</sup>: 1 ½ hour before you leave the house the morning of your surgery.

### How to take the enema

- Buy one or two regular Fleet<sup>®</sup> enemas (intra-rectal). Ask your pharmacist if needed.
- Administer the enema as follows:
  - Choose a comfortable position from the ones suggested below.
  - Remove the protective cap from the lubricated tip.
  - Insert the lubricated tip into the anus.
  - Squeeze the bottle to force the fluid into the rectum.
  - Remove the bottle.
  - Try to retain the enema solution inside your rectum until you have a strong urge to have a bowel movement (about 5 minutes).



**If you not follow all of these instructions, your surgery may be cancelled**

## SURGERY FOR CHILDREN

- Both parents (or 1 parent and 1 accompanying adult) may accompany the child.
- It is important to prepare the child for the operation. Adapt your speech to the child's age. Use simple and positive words. Be honest. Books can help.
- You can bring a toy, a game or an object that is important to your child. An animated movie will be shown in the area reserved for children in day surgery. Rocking chairs are also available.
- Parents have access to the operating room waiting room to meet the anesthesiologist and surgeon. You will be able to ask questions.
- Afterwards, parents must return to the day surgery department or to the child's hospital room, if it is ready. This is not always an easy time, but by notifying your child of the process, it becomes easier for you and your child.
- Parents should remain available to reassure the child as he or she leaves the recovery room.
- The nurse will be there to make sure the child's recovery is going well and to answer any questions you may have.
- The person responsible for the child should continue to observe the child after he/she goes home.







### Suggested book for children:

Title: The surgery book for Kids  
Author: Shivani Bhatia, md  
Publisher: AuthorHouse  
ISBN: 978-1-4520-2197-3 (sc)



## WHAT TO BRING TO THE HOSPITAL

- This guide.
- Your valid, unexpired health insurance card.
- Your hospital card.
- Your medications, drops and pumps in their original containers. 
- A complete list of your medications (ask your pharmacist for this list).
- Slippers, dressing gown, clothing and comfortable shoes. 
- Tissues, toothbrush and soap. 
- Notebook and pencil.
- If you wear glasses, contact lenses, a hearing aid or dentures: bring your kits or containers and label them with your name.
- If you use a cane, crutches or a walker, bring them to the hospital and label them with your name. 
- If you need to, bring sanitary napkins, baby diapers or incontinence products.

Please leave all your jewelry and other valuable objects at home.

**The hospital is not responsible for lost or stolen items.**


**(The lockers do not have locks).**

**Rings will have to be cut off if not removed beforehand.**



## WHEN YOU ARRIVE AT THE SURGERY UNIT

- ❑ **If you are going to have a day surgery:** Go directly to the day surgery unit on the first floor of Block B (Room 1.165). The time of your surgery will be given to you when you arrive at the unit. **YOU WILL NOT BE STAYING AT THE HOSPITAL OVERNIGHT.**



- ❑ **If you have to stay at the hospital after your surgery:** Go to the reception area of Room RC.5, block C.

The time of your operation will be given to you when you arrive at the unit.

**Only one person** can accompany you.

After you arrive at the unit, you should expect to wait a moment until being called for your surgery. Bring something to entertain yourself if you want (something to read, a music player with headphones, etc.).



Your room might not be ready when you arrive. In this case, you will be prepared in the day surgery unit. **Please leave your suitcase in your car.** The suitcase can be retrieved after your surgery once your room is available.

## THE DAY SURGERY UNIT OR THE CARE UNIT

- At your arrival, the nurse will help you to get ready for your surgery.
- She will give you an hospital gown to put on (you must remove all other clothing before leaving for the operating room)..
- She will proceed to a blood test if necessary.
- She will validate that you have followed the preparation instructions (drinks, fasting)

## OPERATING ROOM

When you leave for the operating room, you must only wear the hospital gown and no other personal clothing.



**You must remove your:**

- Glasses, contact lenses;
- Underwear, jewelry and body piercings;
- Dentures, hearing, hair piece.

Staff will direct you to the operating room.

The anesthesiologist will meet with you when you arrive in the operating room to discuss with you the most suitable methods of anesthesia and pain relief for you.

For further information about anesthesia, please read « **Role of anesthesia information guide** », the nurse will provide when attending your preadmission meeting.

**NOTE:** Your child can keep their favorite stuffed toy and wear a diaper (if needed).

## IN THE RECOVERY ROOM

- You will wake up in the recovery room.
- No visitors are allowed in the recovery room.
- The staff will make you comfortable on your stretcher or bed.
- You will not be able to eat or drink right away. The nurse will allow you to do so when you are stable.
- Once you are stable and your pain is controlled, you will be transferred to the day surgery unit.



## RETURN TO THE DAY SURGERY UNIT OR HOSPITAL UNIT



The staff will make you comfortable on your stretcher or bed and take your vital signs several times.

The nurse should also check your dressings and drains if applicable.

## CONTROLLING YOUR PAIN

It is normal to have pain after an operation. The amount of pain is different for everyone. However, you can control your pain with the medication prescribed by your surgeon.

**You will be asked to assess your pain on a scale of 0 to 10.**



**Our goal is to keep your pain below 4/10**

**Pain relief is important because this will help you:**

- Breathe more easily.
- Move around more easily.
- Sleep better.
- Eat better.
- Recover more quickly.
- Do things that are important to you.

### Analgesia (pain medication)

- Injections (shots) will be given to you if your pain is too great.
- Medication in tablet form (pill) will be given as soon as you can tolerate it or feed yourself.




## BREATHING EXERCICES

### Deep breathing

**To do as soon as you wake up**

Lie on your back, with your legs slightly bent. Place one hand on your stomach and the other below your breasts.



**Breathe in slowly and deeply through your nose or mouth** as if you were smelling a flower. At this point, you will feel your lungs expand. Only the hand on your belly should lift.

Keeping your lips pinched, **slowly** exhale through your lips. This will take twice as long. Exhale to get the air out of your lungs by pulling your stomach in.



**This exercise is not easy to do.**  
Therefore, you need to practice before your operation.


### Spirometer

\* The preadmission nurse will give you this device if you need it.

#### How do I use it?

Remove the device from the package. Connect the mouthpiece to the tubing. Connect the tubing to the outlet on the other side of the flow volume selector.

1. Get into a comfortable seated position.
2. Adjust the level by turning the flow volume selector to the right that will increase the difficulty of the exercise).
3. Hold the device upright in front of you (if you lean it to the front or back, the exercise is too easy). Exhale normally.



Tube

Flow  
volume  
selector

4. Place your lips snugly around the mouthpiece and then **inhale**. Take in enough air to lift the ball.
5. Continue inhaling to keep the ball elevated for 3 seconds. This step lets you expand your lungs as much as possible. Hold your inhalation for 3 seconds, even if the ball drops back down.
6. Then, breathe out through your mouth through pursed lips. Take a break to breathe normally, and then try again.
7. Repeat steps 4 to 6 for about 5 minutes per hour or as per your nurse's instructions.

Keep the device near you so that you remember to do the exercises. Between uses, you can keep the mouthpiece attached to the end of the tubing.

**Spirometer breathing exercises helps you:**

- Eliminate lung secretions to prevent respiratory complications.
- Regain and maintain good lung expansion.
- Stimulate the breathing reflex, which is slowed by anesthesia and pain medication.
- Improve your well-being and resume your usual activities more quickly.

## CIRCULATION EXERCICES<sup>1</sup>

These exercises encourages blood circulation in your legs while you are lying down. They are very important because they can prevent serious complications, such as blood clots in the veins of your legs (thrombophlebitis).

### Toe flexion and extension

While lying on your back or sitting with your legs stretched out, point your toes to the foot of the bed and then point them toward your chin. Repeat the exercise 30 times a minute for 1 to 2 minutes, every 2 hours.



Image: Wikimedia Commons (2017)

### Ankle rotation

While lying on your back or sitting, make ankle circles from left to right and then from right to left. Repeat this exercise 30 times a minute for 1 to 2 minutes, every two hours.




Image: Wikimedia Commons (2017)

<sup>1</sup> Circulatory exercises are taken from Paradis and Poissant

## GETTING UP

When you get up for the first time, a staff member will be there to assist you, however, you should only get up at your own pace. You need to walk and increase the distance you walk each time you get up. Increase your pace gradually.



**To help you get in and out of bed, you need to raise slightly the head of your bed.**



1. Lying on your back, bend your knees. Turn toward your non-operated side.
2. Push against the mattress using your elbow on the non-operated side and your other hand to sit up on the edge of the bed. Slide your legs over the bed at the same time.
3. Stay in this position for a few minutes. Take a few deep breaths and move your feet around.
4. If you do not feel well, tell the nurse or care attendant.

Staff will help you sit in an armchair if you need to.

## YOUR DISCHARGE FROM THE UNIT

- Your surgeon is the one who will discharge you.
- You must ask another adult to come pick you up, since you cannot drive after your operation. You must plan a ride home. 
- If you live by yourself, it is a good idea to ask another adult to stay with you for 24 hours for safety reasons.
- The nurse may give you a prescription for pain medication, which you must get at your pharmacy. Your nurse will also give you a pamphlet about what you need to know if you need to take a narcotic medication for pain. 

The nurse will give you a follow-up appointment with your surgeon. You must absolutely go to this appointment, even if you feel well:

Surgeon's name: \_\_\_\_\_

Date & time of appointment: \_\_\_\_\_

Location: \_\_\_\_\_



You will receive a proof of hospitalization or medical leave from work form if you need one. Your surgeon should be notified if you need these documents.



If you need to have your insurance forms filled out, note that you will not get them on the day of your surgery. The nurse from the preadmission will direct you in the steps to follow to have your paperwork filled out. Charges may apply.

## ONCE YOU GET BACK HOME - INSTRUCTIONS

### Your incision

Your surgeon and nurse will explain whether you will have an incision or not, as this depends of your procedure.



You might experienced of numbness or burning around the surgical wound. This sensation will gradually disappear.

### Hygiene

Do not get bandage wet.

You may shower after the dressing is removed.

You may clean the wound with an unscented and mild soap. Rinse and dry the area well.



### Back to work

Your surgeon and nurse will give you more details about your recovery, which will depend on your procedure and the type of work that you do.



### Breastfeeding

If you are breastfeeding, ask the surgeon or nurse if you can continue.

Generally, you need to wait 2 to 3 hours after having general anesthesia before breastfeeding your baby. As soon as you return home, you can breastfeed if you feel alert and comfortable.



## NUTRITION AND HYDRATION

Generally, you can eat normally after your surgery. Start with light meals and gradually increase as you can tolerate.



If you have nausea (you feel sick to your stomach), start by drinking clear fluids and gradually increase the amount and change the texture of the foods you eat as you can tolerate them.

**To avoid constipation**, which can be caused by pain medication:

- Eat plenty of fiber (grains, whole-grain bread, fruit, vegetables, etc.).
- Drink 7 to 8 glasses of water a day (unless you have a medical restriction).
- Walking can help with bowel function.



**If, despite these tips, you are unable to have a bowel movement:**

You can use a mild laxative such as Metamucil<sup>®</sup>, Colace<sup>®</sup>, Lax A day<sup>®</sup>

or

Prodiem<sup>®</sup> at a pharmacy. Ask your pharmacist for advice.

**If you have not had a bowel movement for at least 3 days despite these tips, consult a health care professional (family doctor, pharmacist, Info-Santé at 811).**

## ACTIVITIES



### You can drive when:

- You no longer feel dizzy.
- You no longer have pain and you have stopped taking narcotic medications for at least 24 hours.

- Depending on your procedure, your surgeon or nurse may give you other instructions that are appropriate for your situation. Do not hesitate to ask questions.
- You should continue to be active after surgery, but alternate with periods of rest. It is normal to feel tired
- Pain should not prevent you from doing your daily activities such as dressing, bathing or eating. Take your pain medication if the pain is too severe and at least 30 minutes before doing your activities, if applicable.
- Walking is one of the best exercises, except if restricted by your surgeon (e.g., for some orthopedic procedures). Increase the distance you walk everyday and alternate with periods of rest. Avoid vigorous exercise, sudden movements, or contact sports.
- Physical activity should be stopped as per your surgeon's instructions. You must absolutely follow the specific instructions for your particular operation.
- Sexual activities can be resumed after about 2 weeks, when the pain has disappeared.







## COMPLICATIONS


If you have difficulty breathing:

**Immediately call  
Urgences-santé at 911**



If you have one or more of the following signs or symptoms:

 <p>Fever (38.5 °C or 101 °F or higher) <b>for more than 24 hours</b></p>	<p>Your pain increases and is not relieved by medication.</p> 
 <p>You have cramps or constant pain in your calf.</p>	<p>Signs of infection at the surgical site:</p>  <ul style="list-style-type: none"><li>• Redness</li><li>• Pain</li><li>• Swelling</li><li>• Yellowish or greenish discharge</li></ul>

 **Contact an Info-Santé nurse at 811 at any time (24 hours a day)**

**For all other questions, contact one of the resources listed on the next page.**

## RESOURCES



**For emergencies, call 911**  
**For health advice, call 811**  
**24 hours a day, 7 days a week**

### Outpatient clinics

Pre-admission (preoperative only) .....	450 975-5566
General surgery .....	450 975-5562
Vascular surgery .....	450 975-5330
CICL (Gyneco-oncology) .....	450 975-5359
Gynecology .....	450 975-5563
Ophthalmology .....	450 975-5344
ORL .....	450 975-5570
Orthopedics.....	450 975-5569
Plastie .....	450 975-5330
Urology .....	450 975-5913

### Laval area

Accueil première ligne.....	450 627-2530, ext. 64922
CLSC des Mille-Îles .....	450 661-2572
CLSC du Ruisseau-Papineau .....	450 682-5690
CLSC et CHSLD Sainte-Rose.....	450 622-5110
CLSC de l'Ouest-de-l'île .....	450 627-2530
CLSC et CHSLD Idola-Saint-Jean .....	450 668-1803

### Laurentian area

Centre intégré de santé et de service sociaux des Laurentides:

Thérèse de Blainville.....	450 433-2777
Des sommets .....	819 324-4000
St-Jérôme .....	450 432-2777
Pays d'en haut .....	450 229-6601
Jean-Olivier Chenier .....	450 433-2777
Argenteuil.....	450 562-3761
Antoine Labelle .....	819 275-2118

### Lanaudière area

Lanaudière Sud.....	450 654-2572
Lanaudière Nord .....	450 839-3864

## BIBLIOGRAPHY

McGill University Health Centre. Patient Education Office. (2013). *A Guide to Your Bowel Surgery*.

Centre universitaire de santé McGill. Office d'éducation du patient. (2013). *Guide de préparation à la chirurgie d'hystérectomie totale par laparoscopie*.





**Centre intégré  
de santé  
et de services sociaux  
de Laval**

**Québec** 

May 2023  
Direction des services professionnels  
62-100-099